



DECLARATION OF CONFORMITY

SAFRANBOLU CAM MOZAIK SAN VE TIC A.Ş. , located and running at the address Organize Sanayi Bölgesi C ADA 1 Parsel – Karabük Istanbul , declares that the following products will be produced according to EN Standarts. This declaration obliges that the test applied on below mentioned products under the conditions required by directives **TS EN ISO 10545-3, TS EN ISO 10545-5, TS EN ISO 10545-7, TS EN ISO 10545-9, TS EN ISO 10545-12 , TS EN ISO 10545-13, TS EN ISO 10545-14**

Product Code	Series	Colour
HVZ-010 / HVZ-011 / HVZ-052 / HVZ-060	Glass Mosaic	Blues
HVZ-117 / HVZ-119 / HVZ-101/ HVZ-137	Glass Mosaic	Blues
HVZ-138 / HVZ-184 / HVZ-185	Glass Mosaic	Blues

Product Class : Dry Pressed Glass Mosaic,

CHARACTERISTICS	DECLARED VALUE	TEST METHOD
Determination of Water Absorption	%0	TS EN ISO 10545-3
The average coefficient of restitution	0,84	TS EN ISO 10545-5
Revolution at which visual failure occurred	6000	TS EN ISO 10545-7
Water absorption coefficient of the Mosaics	E<%10	TS EN ISO 10545-9
Determination of frost resistance	Not Damaged	TS EN ISO 10545-12
Determination of Chemical Resistance	GA	TS EN ISO 10545-13
Determination of Resistance to Stains	5	TS EN ISO 10545-14

Date : 11 .03 .2021

Chairman of Board

SAFRANBOLU CAM MOZAIK
SAN ve TIC.A.Ş.

Org.San.Böl.C Ada 1 Parsel Merkez / KARABÜK
Mensis No: 0 370-3051-9000016
Karabük V.D. 717 030 5190 Tic.Sic.No:5027